## **EPA Official Record**

Notes ID: F668BE45CFD2BDC97B5934522EDCB3F2 From: John Satterfield < john.satterfield@chk.com> To: Paul Hagemeier <paul.hagemeier@chk.com>; Robert Puls/ADA/USEPA/US@EPA Copy To: Mike Brownell <mike.brownell@chk.com> **Delivered Date:** 04/25/2011 08:00 PM EDT Subject: Re: collaboration We have two sites identified in h'ville. Waiting to hear status on how flexible we are with drilling schedule to make sure we meet epa schedule. I'll follow back up with ops. Thanks, John Satterfield Director, Environmental and Regulatory Affairs Chesapeake Energy Corporation Sent from my BlackBerry ---- Original Message -----From: Paul Hagemeier Sent: Monday, April 25, 2011 06:58 PM To: 'Puls.Robert@epamail.epa.gov' <Puls.Robert@epamail.epa.gov> Cc: John Satterfield; Mike Brownell Subject: RE: collaboration Absolutely are still in the saddle and ready to move forward. Nothing has happened - unless I have been too swamped and missed something. Including John - who is point for me here. John where do we stand with getting Bob covered? Paul D. Hagemeier Vice President Regulatory Compliance ----Original Message----From: Puls.Robert@epamail.epa.gov [mailto:Puls.Robert@epamail.epa.gov] Sent: Monday, April 25, 2011 6:37 PM To: Paul Hagemeier Subject: collaboration Paul What's happened? Since the cancellation of the last meeting in March I have received no word whatsoever. Is there a problem? regards, Bob Robert W. Puls, Ph.D. Ground Water and Ecosystems Restoration Division National Risk Management Research Laboratory, USEPA P.O. Box 1198 / 919 Kerr Research Dr. Ada, OK 74820 puls.robert@epa.gov 580-436-8543 (phone)

This email (and attachments if any) is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this email is not the intended recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by return email and destroy all copies of the email (and attachments if any).